

ITEM: 2AR69 - Pre-Moistened Cleaning Tissues, PK100

SDS D3955

DELIVERY: 6393230090

HU NUMBER: U558655674

SAFETY DATA SHEET (SDS)

This SDS should be attached or kept with the respective product with which it is associated.

SDS - D3955

Associated Items
2AR69

SIGHT SAVERS(R*) BRAND PREMOISTENED LENS CLEANING TISSUE

SAFETY DATA SHEET

BAUSCH + LOMB

SEE BETTER. LIVE BETTER.

-----SECTION 1: IDENTIFICATION -----

PRODUCT IDENTIFIER:

PRODUCT NAME: SIGHT SAVERS(R*) BRAND PREMOISTENED LENS CLEANING TISSUE

PRODUCT CODE:

1502GM; 1502GMM; 1502GMS; 1502GMW; 1503GM; 1503GMP; 1504GM; 1504GMW;
1508GM; 1514GM; 1602M; 1602PC; 1602PCT; 1602SP; 1602TP; 628008; 628016;
628041; 628042; 7102SM; 8574GM

PRODUCT DESCRIPTION:

TISSUE IMPREGNATED WITH DILUTE SOLVENT AND DETERGENT SOLUTION.

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

RECOMMENDED USE: CLEANING TISSUE FOR GLASS AND PLASTIC LENSES,

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER:
BAUSCH & LOMB
1400 NORTH GOODMAN STREET
ROCHESTER, NY 14609
UNITED STATES

BAUSCH.COM

TELEPHONE (GENERAL): 1-800-553-5340

EMERGENCY TELEPHONE NUMBER:
MANUFACTURER: 1-800-535-5053

-----SECTION 2: HAZARD IDENTIFICATION -----

UN GHS:

ACCORDING TO:
UN GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

UN GHS:
FLAMMABLE LIQUIDS 3
EYE IRRITATION 2A

LABEL ELEMENTS:

UN GHS:

WARNING:
FLAME
EXCLAMATION MARKHAZARD STATEMENTS:
CAUSES SERIOUS EYE IRRITATION
MAY BE HARMFUL IF SWALLOWED
FLAMMABLE LIQUID AND VAPOUR
MAY CAUSE SKIN IRRITATION OR DRYNESS.

PRECAUTIONARY STATEMENTS:

PREVENTION:
KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND/OR HOT SURFACES. - NO SMOKING.
NOT FOR USE ON CONTACT LENSES
KEEP OUT OF REACH OF CHILDRENRESPONSE:
IF SWALLOWED:
RINSE MOUTH, DO NOT INDUCE VOMITING.
IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.STORAGE/DISPOSAL:
STORE IN A WELL-VENTILATED PLACE. KEEP COOL.DISPOSE OF CONTENT AND/OR CONTAINER IN ACCORDANCE WITH LOCAL, REGIONAL,
NATIONAL, AND/OR INTERNATIONAL REGULATIONS.OTHER HAZARDS:
UN GHS: NO DATA AVAILABLEOTHER INFORMATION:
MOIST WHITE PAPER TISSUE IMPREGNATED WITH A DILUTE SOLVENT AND DETERGENT.MAY CAUSE SERIOUS EYE IRRITATION. MAY CAUSE SKIN IRRITATION OR DRYNESS.
INGESTION MAY CAUSE GASTRIC AND INTESTINAL IRRITATION.

-----SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS -----

SUBSTANCES:

MIXTURES:

COMPOSITION:

CHEMICAL NAME	IDENTIFIERS	%
ISOPROPYL ALCOHOL	CAS: 67-63-0 EU INDEX: 603-117-00-0 EINECS: 200-661-7	40%
STEPANOL EHS		< 1%
2-ETHYLHEXYL SODIUM SULFATE [<45%]	CAS: 126-92-1 EINECS: 204-812-8	<0.45%
2-ETHYLHEXANOL [2.5%]	CAS: 104-76-7 EINECS: 203-234-3	< 0.025%
FORMALDEHYDE [<0.1%]	CAS: 50-00-0 EU INDEX: 605-001-00-5 EINECS: 200-001-8	<0.001%
WATER [<65%]	CAS: 7732-18-5 EINECS: 231-791-2	<0.65%
WATER	CAS: 7732-18-5 EINECS: 231-791-2	< 60%

CHEMICAL NAME LD50/LC50 CLASSIFICATIONS ACCORDING TO REGULATION/DIRECTIVE COMMENTS

CHEMICAL NAME	LD50/LC50	CLASSIFICATIONS ACCORDING TO REGULATION/DIRECTIVE	COMMENTS
ISOPROPYL ALCOHOL	INGESTION/ORAL-RAT LD50: 5045 MG/KG STOT SE 2 STOT SE 3: NARC.	UN GHS: EYE IRRIT. 2A	NDA
	INHALATION-RAT LC50: 16000 PPM 8 HOUR(S)		
	SKIN-RABBIT LD50: 12800 MG/KG		

CHEMICAL NAME	LD50/LC50	CLASSIFICATIONS ACCORDING TO REGULATION/DIRECTIVE	COMMENTS
STEPANOL EHS		UN GHS: NDA	DETERGENT
2-ETHYLHEXYL SODIUM SULFATE [<45%]	INGESTION/ORAL-RAT LD50: 4 G/KG	UN GHS: NDA	NDA
2-ETHYLHEXANOL [2.5%]	INGESTION/ORAL-RAT LD50: 3730 MG/KG SKIN IRRIT. 2 EYE IRRIT. 2A ACUTE TOX. DERMAL 4 FLAM. LIQ. 4 AQUATIC ACUTE 3	UN GHS: SKIN IRRIT. 2	NDA
FORMALDEHYDE [<0.1%]	INGESTION/ORAL-RAT LD50: 100 MG/KG SKIN CORR. 1B EYE DAM. 1 SKIN SENS. 1 CARC. 1A CARC. 2	UN GHS: SKIN CORR. 1	NDA
WATER [<65%]	INGESTION/ORAL-RAT LD50: >90 ML/KG	UN GHS: NDA	NDA
WATER	INGESTION/ORAL-RATE LD50: >90 ML/KG	UN GHS: NDA	NDA

-----SECTION 4: FIRST-AID MEASURES -----

DESCRIPTION OF FIRST AID MEASURES:

INHALATION:
NORMAL USE OF THIS PRODUCT DOES NOT POSE AN INHALATION HAZARD. HOWEVER, SHOULD RESPIRATORY TRACT IRRITATION DEVELOP, DISCONTINUE USE AND REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF IRRITATION OR OTHER SYMPTOMS DEVELOP OR PERSIST.SKIN:
SHOULD IRRITATION DEVELOP, DISCONTINUE USE. WASH AFFECTED SKIN THOROUGHLY WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION OR OTHER SYMPTOMS DEVELOP OR PERSIST.EYE:
HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST FIVE MINUTES, THEN CONTINUE RINSING EYE.

INGESTION:



IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:
NO DATA AVAILABLE

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

NOTES TO PHYSICIAN:
MATERIAL, IF INGESTED, MAY BE ASPIRATED INTO THE LUNGS AND CAN CAUSE CHEMICAL PNEUMONITIS. TREAT APPROPRIATELY.

-----SECTION 5: FIRE-FIGHTING MEASURES -----

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA:
CARBON DIOXIDE, DRY CHEMICAL POWDER, APPROPRIATE FOAM OR WATER FOG.

UNSUITABLE EXTINGUISHING MEDIA: NO DATA AVAILABLE

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

UNUSUAL FIRE AND EXPLOSION HAZARDS: NO DATA AVAILABLE

HAZARDOUS COMBUSTION PRODUCTS:
DURING A FIRE, IRRITATING AND HIGHLY TOXIC GASES MAY BE GENERATED BY THERMAL DECOMPOSITION OR COMBUSTION.

ADVICE FOR FIREFIGHTERS:
AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR TO PREVENT CONTACT WITH SKIN AND EYES.

-----SECTION 6: ACCIDENTAL RELEASE MEASURES -----

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS:
WEAR SUITABLE PROTECTIVE EYEWEAR, CLOTHING, RESPIRATORY PROTECTION, RUBBER BOOTS AND RUBBER GLOVES. REFER TO SECTIONS 7 AND 8.

EMERGENCY PROCEDURES:
SHUT OFF ALL SOURCES OF IGNITION. EVACUATE IMMEDIATE AREA. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS:
PREVENT SPILLED MATERIAL FROM ENTERING STORM SEWERS OR DRAINS, WATERWAYS, AND CONTACT WITH SOIL.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

CONTAINMENT/CLEAN-UP MEASURES:
ISOLATE HAZARD AREA. PREVENT FROM ENTERING DRAINS AND SEWERS. COVER WITH VERMICULITE OR OTHER SUITABLE INERT MATERIAL, PICK UP AND PLACE IN CLOSED CONTAINERS. TRANSPORT OUTDOORS AND HOLD FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. REFER TO SECTION 13 FOR APPROPRIATE DISPOSAL PROCEDURES.

-----SECTION 7: HANDLING AND STORAGE -----

PRECAUTIONS FOR SAFE HANDLING:

HANDLING:
AVOID CONTACT WITH EYES. AVOID PROLONGED OR REPEATED EXPOSURE TO SKIN OR MUCOUS MEMBRANES, AND BREATHING MISTS/VAPORS. USE IN A WELL VENTILATED AREA, AWAY FROM ALL SOURCES OF IGNITION. KEEP CONTAINER CLOSED. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:
STORE PRODUCT AT ROOM TEMPERATURE, IN A WELL VENTILATED AREA AWAY FROM HEAT, SPARKS OR FLAMES. DISCARD APPROPRIATELY IF PACKAGE INTEGRITY IS COMPROMISED. KEEP OUT OF REACH OF CHILDREN.

-----SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION -----

CONTROL PARAMETERS:

EXPOSURE LIMITS/GUIDELINES:

RESULT	ACGIH	CANADA	NIOSH	OSHA
	BRITISH COLUMBIA			
ISOPROPYL ALCOHOL (67-63-0)	STELS 1225 MG/M3 STEL	400 PPM STEL	400 PPM STEL	500 PPM NOT ESTABLISHED
	TWAS 200 PPM TWA	200 PPM TWA	400 PPM TWA	400 PPM
		980 MG/M3 TWA	980 MG/M3 TWA	

EXPOSURE CONTROL NOTATIONS:

ACGIH:

ISOPROPYL ALCOHOL (67-63-0):
CARCINOGENS: (A4 - NOT CLASSIFIABLE AS A HUMAN CARCINOGEN)

EXPOSURE LIMITS SUPPLEMENTAL:

ACGIH:
ISOPROPYL ALCOHOL (67-63-0):
BEIS:
(40 MG/L MEDIUM: URINE TIME: END OF SHIFT AT END OF WORKWEEK PARAMETER: ACETONE (BACKGROUND, NONSPECIFIC))

TLV BASIS - CRITICAL EFFECTS:
(CNS IMPAIRMENT; EYE AND UPPER RESPIRATORY TRACT IRRITATION)

EXPOSURE CONTROLS:

ENGINEERING MEASURES/CONTROLS:
NO SPECIAL CONTROLS ARE REQUIRED UNDER CONDITIONS OF INTENDED USE. LOCAL EXHAUST VENTILATION SHOULD BE PROVIDED WHEN HANDLING BULK PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY:
NO SPECIAL CONTROLS OR PERSONAL PROTECTION REQUIRED UNDER CONDITIONS OF INTENDED USE. IN THE EVENT OF A BULK SPILL AND WHERE RISK ASSESSMENT SHOWS THAT AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, A NIOSH (US) OR CEN (EU)-CERTIFIED AIR-PURIFYING RESPIRATOR EQUIPPED WITH ORGANIC VAPOR CARTRIDGES MAY BE PERMISSIBLE UNDER CERTAIN CIRCUMSTANCES WHERE AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS, WHEN ADEQUATE OXYGEN IS PRESENT AND AS A BACKUP TO ENGINEERING CONTROLS. USE A POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR IF THERE IS ANY POTENTIAL FOR AN UNCONTROLLED RELEASE OR ANY OTHER CIRCUMSTANCES WHERE AIR PURIFYING RESPIRATORS MAY NOT PROVIDE ADEQUATE PROTECTION.

EYE/FACE:
AVOID CONTACT WITH THE EYE. NO SPECIAL CONTROLS OR PERSONAL PROTECTION REQUIRED UNDER CONDITIONS OF INTENDED USE. IN THE EVENT OF A BULK SPILL, APPROPRIATE EYE PROTECTION SHOULD BE WORN.

HANDS:
NO SPECIAL PERSONAL PROTECTION REQUIRED UNDER CONDITIONS OF INTENDED USE. IN THE EVENT OF A BULK SPILL, PROTECTIVE RUBBER GLOVES SHOULD BE WORN.

SKIN/BODY:
NO SPECIAL PERSONAL PROTECTION REQUIRED UNDER CONDITIONS OF INTENDED USE. IN THE EVENT OF A BULK SPILL, WEAR APPROPRIATE PROTECTIVE CLOTHING.

ENVIRONMENTAL EXPOSURE CONTROLS:
NO SPECIAL CONTROLS ARE REQUIRED UNDER CONDITIONS OF INTENDED USE. IN THE EVENT OF A BULK SPILL, PREVENT SPILLED MATERIAL FROM ENTERING STORM SEWERS OR DRAINS, WATERWAYS, AND CONTACT WITH THE SOIL.

-----SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES -----

INFORMATION ON PHYSICAL AND CHEMICAL PROPERTIES:

MATERIAL DESCRIPTION:

PHYSICAL FORM: SOLID

APPEARANCE/DESCRIPTION: MOIST PAPER TISSUE.

COLOR: NOT RELEVANT

ODOR: MILD ALCOHOL ODOR.

PARTICULATE SIZE: NOT RELEVANT

AEROSOL TYPE: NOT RELEVANT

ODOR THRESHOLD: NOT RELEVANT

PHYSICAL AND CHEMICAL PROPERTIES: NOT RELEVANT

GENERAL PROPERTIES:

BOILING POINT: 83.8 C (182.84 F) LIQUID COMPONENT

MELTING POINT: NOT RELEVANT

DECOMPOSITION TEMPERATURE: NOT RELEVANT

HEAT OF DECOMPOSITION: NOT RELEVANT

PH: 7

SPECIFIC GRAVITY/RELATIVE DENSITY: 0.96 LIQUID COMPONENT

DENSITY: NOT RELEVANT

BULK DENSITY: NOT RELEVANT

WATER SOLUBILITY: SOLUBLE LIQUID COMPONENT SOLUBLE IN WATER

SOLVENT SOLUBILITY: NOT RELEVANT

VISCOSITY: NOT RELEVANT

EXPLOSIVE PROPERTIES: NOT RELEVANT

OXIDIZING PROPERTIES: NOT RELEVANT

VOLATILITY:

VAPOR PRESSURE: NOT RELEVANT

VAPOR DENSITY: NOT RELEVANT

EVAPORATION RATE: NOT RELEVANT

VOC (WT.): NOT RELEVANT



VOC (VOL.): NOT RELEVANT
 VOLATILES (WT.): NOT RELEVANT
 VOLATILES (VOL.): NOT RELEVANT
 FLAMMABILITY:
 FLASH POINT: 30 C (86 F) 0C (OPEN CUP)
 UEL: NOT RELEVANT
 LEL: NOT RELEVANT
 AUTOIGNITION: NOT RELEVANT
 BURNING TIME: NOT RELEVANT
 FLAME HEIGHT: NOT RELEVANT
 FLAME EXTENSION: NOT RELEVANT
 IGNITION DISTANCE: NOT RELEVANT
 FLAME DURATION: NOT RELEVANT
 SELF-ACCELERATING DECOMPOSITION TEMPERATURE (SADT): NOT RELEVANT
 HEAT OF COMBUSTION (HC): NOT RELEVANT
 FLAMMABILITY (SOLID, GAS): NOT RELEVANT
 ENVIRONMENTAL:
 HALF-LIFE: NOT RELEVANT
 OCTANOL/WATER PARTITION COEFFICIENT: NOT RELEVANT
 COEFFICIENT OF WATER/OIL DISTRIBUTION: NOT RELEVANT
 BIOACCUMULATION FACTOR: NOT RELEVANT
 BIOCONCENTRATION FACTOR: NOT RELEVANT
 BIOCHEMICAL OXYGEN DEMAND BOD/BOD5: NOT RELEVANT
 CHEMICAL OXYGEN DEMAND: NOT RELEVANT
 PERSISTENCE: NOT RELEVANT
 DEGRADATION: NOT RELEVANT

-----SECTION 10: STABILITY AND REACTIVITY -----

REACTIVITY: NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.
 CHEMICAL STABILITY: STABLE UNDER NORMAL TEMPERATURES AND HUMIDITIES.
 POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE.
 CONDITIONS TO AVOID: HEAT, SOURCES OF IGNITION.
 INCOMPATIBLE MATERIALS:
 CAUSTICS, STRONG ACIDS, ALKANOLAMINES, STRONG OXIDIZING AGENTS, AND
 CHLORINATED COMPOUNDS.
 HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN.

-----SECTION 11: TOXICOLOGICAL INFORMATION -----

INFORMATION ON TOXICOLOGICAL EFFECTS:
 COMPONENTS:
 ISOPROPYL ALCOHOL (40%) 67-63-0:
 ACUTE TOXICITY:
 INGESTION/ORAL-RAT LD50: 5045 MG/KG
 BEHAVIORAL:
 ALTERED SLEEP TIME (INCLUDING CHANGE IN RIGHTING REFLEX)
 BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY)
 INHALATION-RAT LC50: 16000 PPM 8 HOUR(S)
 SKIN-RABBIT LD50: 12800 MG/KG
 IRRITATION:
 EYE-RABBIT: 100 MG - SEVERE IRRITATION
 SKIN-RABBIT: 500 MG - MILD IRRITATION
 WATER (<60%) 7732-18-5:
 ACUTE TOXICITY:
 INGESTION/ORAL-RAT LD50: >90 ML/KG
 GHS PROPERTIES CLASSIFICATION
 ACUTE TOXICITY UN GHS: CLASSIFICATION CRITERIA NOT MET
 ASPIRATION HAZARD UN GHS: CLASSIFICATION CRITERIA NOT MET
 CARCINOGENICITY UN GHS: CLASSIFICATION CRITERIA NOT MET
 GERM CELL MUTAGENICITY UN GHS: CLASSIFICATION CRITERIA NOT MET
 SKIN CORROSION/IRRITATION UN GHS: CLASSIFICATION CRITERIA NOT MET

SKIN SENSITIZATION UN GHS: CLASSIFICATION CRITERIA NOT MET
 STOT-RE UN GHS: CLASSIFICATION CRITERIA NOT MET
 STOT-SE UN GHS: CLASSIFICATION CRITERIA NOT MET
 TOXICITY FOR REPRODUCTION UN GHS: CLASSIFICATION CRITERIA NOT MET
 RESPIRATORY SENSITIZATION UN GHS: CLASSIFICATION CRITERIA NOT MET
 SERIOUS EYE DAMAGE/IRRITATION UN GHS: EYE IRRITATION 2A
 POTENTIAL HEALTH EFFECTS:

INHALATION:
 ACUTE (IMMEDIATE):
 UNLIKELY TO BE HAZARDOUS WHEN USED AS DIRECTED. HOWEVER, IF ACTIVELY
 CONCENTRATED AND INHALED, IT MAY CAUSE RESPIRATORY TRACT IRRITATION.

CHRONIC (DELAYED):
 UNDER NORMAL CONDITIONS OF USE, NO HEALTH EFFECTS ARE EXPECTED.

SKIN:

ACUTE (IMMEDIATE):
 FREQUENT OR PROLONGED CONTACT WITH SKIN OR MUCOUS MEMBRANES MAY CAUSE
 IRRITATION.

CHRONIC (DELAYED):
 UNDER NORMAL CONDITIONS OF USE, NO HEALTH EFFECTS ARE EXPECTED.

EYE:

ACUTE (IMMEDIATE):
 AVOID CONTACT WITH THE EYE. MAY CAUSE SEVERE EYE IRRITATION

CHRONIC (DELAYED):
 UNDER NORMAL CONDITIONS OF USE, NO HEALTH EFFECTS ARE EXPECTED.

INGESTION:

ACUTE (IMMEDIATE):
 NOT EXPECTED TO BE AN EXPOSURE ROUTE. HOWEVER, MAY CAUSE GASTRIC AND
 INTESTINAL IRRITATION IF INGESTED.

CHRONIC (DELAYED):
 UNDER NORMAL CONDITIONS OF USE, NO HEALTH EFFECTS ARE EXPECTED.

CARCINOGENIC EFFECTS:

CAS	OSHA	IARC	NTP
FORMALDEHYDE	50-00-0	SPECIFICALLY REGULATED CARCINOGEN	GROUP 1-CARCINOGENIC KNOWN HUMAN CARCINOGEN
ISOPROPYL ALCOHOL	67-63-0	NOT LISTED	GROUP 3-NOT CLASSIFIABLE NOT LISTED

-----SECTION 12: ECOLOGICAL INFORMATION -----

TOXICITY: THIS MATERIAL HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS.
 PERSISTENCE AND DEGRADABILITY: NO DATA AVAILABLE
 BIOACCUMULATIVE POTENTIAL: NO DATA AVAILABLE
 MOBILITY IN SOIL: NO DATA AVAILABLE
 OTHER ADVERSE EFFECTS:

-----SECTION 13: DISPOSAL CONSIDERATIONS -----

WASTE TREATMENT METHODS:
 PRODUCT WASTE:
 DISPOSE OF CONTENT AND/OR CONTAINER IN ACCORDANCE WITH LOCAL, REGIONAL,
 NATIONAL, AND/OR INTERNATIONAL REGULATIONS.
 PACKAGING WASTE:
 REFER TO MANUFACTURER/SUPPLIER FOR INFORMATION ON RECOVERY/RECYCLING.

-----SECTION 14: TRANSPORT INFORMATION -----

UN NUMBER	UN PROPER SHIPPING NAME	TRANSPORT HAZARD	PACKING CLASS(ES)	ENVIRONMENTAL GROUP	HAZARDS
DOT NDA	NDA	NOT REGULATED	NDA	NDA	NDA
TDG NDA	NDA	NOT REGULATED	NDA	NDA	NDA
IMO/IMDG NDA	NDA	NOT REGULATED	NDA	NDA	NDA
ADN NDA	NDA	NOT REGULATED	NDA	NDA	NDA
ADR/RID NDA	NDA	NOT REGULATED	NDA	NDA	NDA
IATA/ICAO NDA	NDA	NOT REGULATED	NDA	NDA	NDA

SPECIAL PRECAUTIONS FOR USER: NONE
 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE.
 NOT APPLICABLE.



OTHER INFORMATION:

DOT:
EXEMPT UNDER 49 CFR HAZARDOUS MATERIALS TABLE SPECIAL PROVISION 47 (172.102).

IMO/IMDG:
EXEMPT UNDER IMDG CODE DANGEROUS GOODS LIST SPECIAL PROVISION 216.

IATA/ICAO:
EXEMPT UNDER IATA DGR DANGEROUS GOODS TABLE SPECIAL PROVISION A.46.

FOR OTHER REGULATIONS, CONSULT YOUR DANGEROUS GOODS ADVISOR.

-----SECTION 15: REGULATORY INFORMATION-----

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

SARA HAZARD CLASSIFICATIONS: NO DATA AVAILABLE

INVENTORY:

COMPONENT	CAS	CANADA DSL	EU EINECS	TSCA
2-ETHYLHEXYL SODIUM SULFATE	126-92-1	YES	YES	YES
2-ETHYLHEXANOL	104-76-7	YES	YES	YES
FORMALDEHYDE	50-00-0	YES	YES	YES
ISOPROPYL ALCOHOL	67-63-0	YES	YES	YES
WATER	7732-18-5	YES	YES	YES

CANADA:

LABOR:

CANADA - WHMIS - CLASSIFICATIONS OF SUBSTANCES:

ISOPROPYL ALCOHOL 67-63-0 B2, D2B (INCLUDING 70%)

WATER 7732-18-5 UNCONTROLLED PRODUCT ACCORDING TO WHMIS CLASSIFICATION CRITERIA

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 A, B1, D1A, D2A, D2B, B3, D1A, D2A, D2B, E (REGULATED UNDER FORMOL)

2-ETHYLHEXANOL 104-76-7 B3, D2B

CANADA - WHMIS - INGREDIENT DISCLOSURE LIST:

ISOPROPYL ALCOHOL 67-63-0 1%

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 0.1%

2-ETHYLHEXANOL 104-76-7 1%

EUROPE:

OTHER:

EU - CLP (1272/2008) - ANNEX VI - TABLE 3.2 - CLASSIFICATION:

ISOPROPYL ALCOHOL 67-63-0 F; R11
Xi; R36 R67

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 T; R23/24/25
C; R34
CARC. CAT. 3; R40 R43

2-ETHYLHEXANOL 104-76-7 NOT LISTED

EU - CLP (1272/2008) - ANNEX VI - TABLE 3.2 - CONCENTRATION LIMITS:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 0.2% ≤ C:
R43 25% ≤ C: T
R:23/24/25 5% ≤ C < 25%: XN
R:20/21/22 25% ≤ C: C
R:34 5% ≤ C < 25%: XI
R:36/37/38

2-ETHYLHEXANOL 104-76-7 NOT LISTED

EU - CLP (1272/2008) - ANNEX VI - TABLE 3.2 - LABELLING:

ISOPROPYL ALCOHOL 67-63-0 F Xi R:11-36-67
S:(2)-7-16-24/25-26

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 T; R:23/24/25-34-40-43
S:(1/2)-26-36/37/39-45-51

2-ETHYLHEXANOL 104-76-7 NOT LISTED

EU - CLP (1272/2008) - ANNEX VI - TABLE 3.2 - NOTES - SUBSTANCES AND PREPARATIONS:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 B, D

2-ETHYLHEXANOL 104-76-7 NOT LISTED

EU - CLP (1272/2008) - ANNEX VI - TABLE 3.2 - SAFETY PHRASES:

ISOPROPYL ALCOHOL 67-63-0 S:(2)-7-16-24/25-26

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 S:(1/2)-26-36/37/39-45-51

2-ETHYLHEXANOL 104-76-7 NOT LISTED

UNITED STATES:

ENVIRONMENT:

U.S. - CERCLA/SARA - HAZARDOUS SUBSTANCES AND THEIR REPORTABLE QUANTITIES:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 100 LB FINAL RQ
45.4 KG FINAL RQ

2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CERCLA/SARA - SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES EPCRA RQs:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 100 LB EPCRA RQ

2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CERCLA/SARA - SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES TPQS:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 500 LB TPQ

2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CERCLA/SARA - SECTION 313 - EMISSION REPORTING:

ISOPROPYL ALCOHOL 67-63-0 1.0% DE MINIMIS
CONCENTRATION (ONLY IF
MANUFACTURED BY THE STRONG
ACID PROCESS, NO SUPPLIER
NOTIFICATION)

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 0.1% DE MINIMIS
CONCENTRATION

2-ETHYLHEXANOL 104-76-7 NOT LISTED

UNITED STATES - CALIFORNIA:

ENVIRONMENT:

U.S. - CALIFORNIA - PROPOSITION 65 - CARCINOGENS LIST:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 CARCINOGEN, INITIAL DATE
1/1/88 (GAS)



2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CALIFORNIA - PROPOSITION 65 - DEVELOPMENTAL TOXICITY:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 NOT LISTED

2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CALIFORNIA - PROPOSITION 65 - REPRODUCTIVE TOXICITY - FEMALE:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 NOT LISTED

2-ETHYLHEXANOL 104-76-7 NOT LISTED

U.S. - CALIFORNIA - PROPOSITION 65 - REPRODUCTIVE TOXICITY - MALE:

ISOPROPYL ALCOHOL 67-63-0 NOT LISTED

WATER 7732-18-5 NOT LISTED

2-ETHYLHEXYL SODIUM SULFATE 126-92-1 NOT LISTED

FORMALDEHYDE 50-00-0 NOT LISTED

2-ETHYLHEXANOL 104-76-7 NOT LISTED

OTHER INFORMATION:

REACH:
ALL COMPONENTS HAVE BEEN PRE-REGISTERED. NO COMPONENT IS A SIN OR SVHC.

-----SECTION 16: OTHER INFORMATION -----

LAST REVISION DATE: 30/JANUARY/2015

PREPARATION DATE: 13/JANUARY/2011

DISCLAIMER/STATEMENT OF LIABILITY:
TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE. HOWEVER, NEITHER BAUSCH & LOMB INCORPORATED NOR ANY OF ITS SUBSIDIARIES ASSUMES ANY LIABILITY WHATSOEVER FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIALS MAY PRESENT UNKNOWN HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST. NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE IS MADE. IN NO EVENT SHALL BAUSCH & LOMB INCORPORATED OR ANY OF ITS SUBSIDIARIES BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

REVISION DATE: 06/MAY/2015

FORMAT: GHS

LANGUAGE: ENGLISH (US)

UN GHS

